ELSEVIER

Brain Research 783 (1998) 359–360

BRAIN RESEARCH

Author Index

Allingham, K., Von Saldern, C., Brennan, P.A., Distel, H. and Hudson, R.
Endogenous expression of c-Fos in hypothalamic nuclei of neonatal rabbits coincides with their circadian pattern of suckling-associated arousal (783) 210
Allred, E., see Holtzman, D. (783) 19
Arnold, G., see Gold, L. (783) 188

Back, T., see Gold, L. (783) 188
Baird, D.H., see Console-Bram, L.M. (783) 316
Barter, J.E., see Maswood, S. (783) 115
Başkaya, M.K., see Raghavendra Rao, V.L. (783) 163
Beal, M.F., Matthews, R.T., Tieleman, A. and Shults, C.W.
Coenzyme Q_{10} attenuates the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) induced loss of striatal dopamine and dopaminergic axons in aged mice (783) 109
Berger, S.P., see Reid, M.S. (783) 133
Brennan, P.A., see Allingham, K. (783) 210
Büschges, A.
Inhibitory synaptic drive patterns motoneuronal activity in rhythmic preparations of isolated thoracic ganglia in the stick insect (783) 262

Campisi, A., see Renis, M. (783) 143
Cardile, V., see Renis, M. (783) 143
Chakravarty, D.N. and Faingold, C.L.
Comparison of neuronal response patterns in the external and central nuclei of inferior colliculus during ethanol administration and ethanol withdrawal (783) 102
Chen, K., Waller, H.J. and Godfrey, D.A.
Effects of endogenous acetylcholine on spontaneous activity in rat dorsal cochlear nucleus slices (783) 219
Cheu, J.W. and Siegel, A.
GABA receptor mediated suppression of defensive rage behavior elicited from the medial hypothalamus of the cat: role of the lateral hypothalamus (783) 293
Chih, C.-P., see Roberts Jr., E.L. (783) 44
Collovà, F., see Renis, M. (783) 143
Console-Bram, L.M., Baird, D.H., Fitzpatrick-McElligott, S.G. and McElligott, J.G.
Modulation of GAP-43 mRNA by GABA and glutamate in cultured cerebellar granule cells (783) 316
Cook, C., see Holtzman, D. (783) 19

Dempsey, R.J., see Raghavendra Rao, V.L. (783) 163
Deshpande, S.B. and Nishino, H.
In vitro protection of 3-nitropropionic acid-induced toxicity of astrocytes by basic fibroblast growth factor and thrombin (783) 28
Diana, M., see Melis, M. (783) 127
Dirnagl, U., see Gold, L. (783) 188
Distel, H., see Allingham, K. (783) 210
Doğan, A., see Raghavendra Rao, V.L. (783) 163
Dreier, J., see Gold, L. (783) 188
Dzhura, I., Naidenov, V., Zhuravleva, S., Kostyuk, P. and Shuba, Y.
Expression of Ca^{2+} channels from rat brain with model phenylketonuria in *Xenopus* oocytes (783) 280

Einhäupl, K.M., see Gold, L. (783) 188

Faingold, C.L., see Chakravarty, D.N. (783) 102
Feldblum, S., see Morin-Richaud, C. (783) 85
Fitzpatrick-McElligott, S.G., see Console-Bram, L.M. (783) 316
Fonnum, F., see Noraberg, J. (783) 305
Fowkes, R.L., see Xiang, J. (783) 37

Gao, W., see Li, T. (783) 51
Gerrits, R.J., Stein, E.A. and Greene, A.S.
Blood flow increases linearly in rat somatosensory cortex with increased whisker movement frequency (783) 151
Gessa, G.L., see Melis, M. (783) 127
Godfrey, D.A., see Chen, K. (783) 219
Gold, L., Back, T., Arnold, G., Dreier, J., Einhäupl, K.M., Reuter, U. and Dirnagl, U.
Cortical spreading depression-associated hyperemia in rats: involvement of serotonin (783) 188
Gotts, J.E., see Humm, J.L. (783) 286
Gramsbergen, J.B.P., see Noraberg, J. (783) 305
Greene, A.S., see Gerrits, R.J. (783) 151

Hayabara, T., see Morimoto, K. (783) 57
Hayashi, H., Sato, K., Kuruhara, Y. and Takeo, S.
Microsphere embolism-induced changes in noradrenaline release in the cerebral cortex in rats (783) 241
He, J., see Roberts Jr., E.L. (783) 44
He, Y.-F., see Sugimoto, T. (783) 158
Ho, L.B., see Reid, M.S. (783) 133
Holtzman, D., Mulkern, R., Meyers, R., Cook, C., Allred, E., Khait, I., Jensen, F., Tsuji, M. and Laussen, P.
In vivo phosphocreatine and ATP in piglet cerebral gray and white matter during seizures (783) 19
Hudson, R., see Allingham, K. (783) 210
Humm, J.L., Kozlowski, D.A., James, D.C., Gotts, J.E. and Schallert, T.
Use-dependent exacerbation of brain damage occurs during an early post-lesion vulnerable period (783) 286

Ichikawa, H., see Sugimoto, T. (783) 158
Ikeda, K., see Todo, T. (783) 179

James, D.C., see Humm, J.L. (783) 286
Jensen, F., see Holtzman, D. (783) 19
Johansson, S., see Sundgren-Andersson, A.K. (783) 194

Kaba, H., see Okutani, F. (783) 272
Kaplitt, M.G., see Yin, J. (783) 347
Karkola, K., see Sorvari, H. (783) 355
Keep, R.F., see Xiang, J. (783) 37
Kessler, M., Mutneja, M.S., Rogers, G. and Lynch, G.
Regional preferences of AMPA receptor modulators determined through agonist binding autoradiography (783) 121
Khait, I., see Holtzman, D. (783) 19
Kirino, T., see Todo, T. (783) 179
Kondo, T., see Todo, T. (783) 179
Kostyuk, P., see Dzhura, I. (783) 280
Kozlowski, D.A., see Humm, J.L. (783) 286
Kurokawa, T., see Todo, T. (783) 179
Kuruhara, Y., see Hayashi, H. (783) 241
Kwong, A.D., see Yin, J. (783) 347

Laussen, P., see Holtzman, D. (783) 19
Li, T., Gao, W. and Rao, Z.-R.
Noxious somatic stimulation-induced expression of Fos-like immunoreactivity in catecholaminergic neurons with habenular nucleus projection in the medullary visceral zone of rat (783) 51
Lilliu, V., see Melis, M. (783) 127
Loupe, P.S., see Stodgell, C.J. (783) 10
Lynch, G., see Kessler, M. (783) 121

Maier, S.F., see Maswood, S. (783) 115
Mamiya, T., Noda, Y., Nishi, M., Takeshima, H. and Nabeshima, T.
Enhancement of spatial attention in nociceptin/orphanin FQ receptor-knockout mice (783) 236

Martin, P.D. and O'Keefe, J.
Place field dynamics and directionality in a spatial memory task (783) 249
Maswood, S., Barter, J.E., Watkins, L.R. and Maier, S.F.
Exposure to inescapable but not escapable shock increases extracellular levels of 5-HT in the dorsal raphe nucleus of the rat (783) 115
Matthews, R.T., see Beal, M.F. (783) 109
Mayhan, W.G.
Constrictor responses of the rat basilar artery during diabetes mellitus (783) 326
McElligott, J.G., see Console-Bram, L.M. (783) 316
Melis, M., Mereu, G., Lilliu, V., Quartu, M., Diana, M. and Gessa, G.L.
Haloperidol does not produce dopamine cell depolarization-block in paralyzed, unanesthetized rats (783) 127
Mereu, G., see Melis, M. (783) 127
Meyers, R., see Holtzman, D. (783) 19
Miettinen, R., see Sorvari, H. (783) 355
Mizuguchi, M., see Obonai, T. (783) 167
Morimoto, K., Sato, K., Sato, S., Yamada, N. and Hayabara, T.
Time-dependent changes in rat hippocampal synapsin I mRNA expression during long-term potentiation (783) 57
Morin-Richaud, C., Feldblum, S. and Privat, A.
Astrocytes and oligodendrocytes reactions after a total section of the rat spinal cord (783) 85
Mulkern, R., see Holtzman, D. (783) 19
Mutneja, M.S., see Kessler, M. (783) 121

Nabeshima, T., see Mamiya, T. (783) 236
Naidenov, V., see Dzhura, I. (783) 280
Nakamura, S., see Todo, T. (783) 179
Nishi, M., see Mamiya, T. (783) 236
Nishino, H., see Deshpande, S.B. (783) 28
Noda, Y., see Mamiya, T. (783) 236
Noraberg, J., Gramsbergen, J.B.P., Fonnum, F. and Zimmer, J.
Trimethyltin (TMT) neurotoxicity in organotypic rat hippocampal slice cultures (783) 305

Obonai, T., Mizuguchi, M. and Takashima, S.
Developmental and aging changes of Bak expression in the human brain (783) 167
Ohno-Shosaku, T., see Yamamoto, C. (783) 227
O'Keefe, J., see Martin, P.D. (783) 249
Okutani, F., Kaba, H., Takahashi, S. and Seto, K.
The biphasic effects of locus coeruleus noradrenergic activation on dendrodendritic inhibition in the rat olfactory bulb (783) 272

Paljärvi, L., see Sorvari, H. (783) 355
Pallotta, M., Segieth, J. and Whitton, P.S.
N-Methyl-D-aspartate receptors regulate 5-HT release in the raphe nuclei and frontal cortex of freely moving rats: differential role of 5-HT_{1A} autoreceptors (783) 173
Pfaff, D.W., see Yin, J. (783) 347
Piggins, H.D., see Scott, G. (783) 1
Pitkänen, A., see Sorvari, H. (783) 355
Privat, A., see Morin-Richaud, C. (783) 85

Quartu, M., see Melis, M. (783) 127

Raghavendra Rao, V.L., Başkaya, M.K., Rao, A.M., Doğan, A. and Dempsey, R.J.
Increased ornithine decarboxylase activity and protein level in the cortex following traumatic brain injury in rats (783) 163
Rao, A.M., see Raghavendra Rao, V.L. (783) 163
Rao, Z.-R., see Li, T. (783) 51
Reid, M.S., Ho, L.B., Tolliver, B.K., Wolkowitz, O.M. and Berger, S.P.
Partial reversal of stress-induced behavioral sensitization to amphetamine following metyrapone treatment (783) 133
Renis, M., Cardile, V., Russo, A., Campisi, A. and Collovà, F.
Glutamine synthetase activity and HSP70 levels in cultured rat astrocytes: effect of 1-octadecyl-2-methyl-rac-glycero-3-phosphocholine (783) 143
Reuter, U., see Gold, L. (783) 188
Ribak, C.E., see Yan, X.-X. (783) 63
Roberts Jr., E.L., He, J. and Chih, C.-P.
The influence of glucose on intracellular and extracellular pH in rat hippocampal slices during and after anoxia (783) 44
Rogers, G., see Kessler, M. (783) 121
Rusak, B., see Scott, G. (783) 1
Russo, A., see Renis, M. (783) 143

Sato, K., see Hayashi, H. (783) 241
Sato, K., see Morimoto, K. (783) 57
Sato, S., see Morimoto, K. (783) 57
Sawada, S., see Yamamoto, C. (783) 227
Schallert, T., see Humm, J.L. (783) 286
Schroeder, S.R., see Stodgell, C.J. (783) 10
Scott, G., Piggins, H.D., Semba, K. and Rusak, B.
Actions of histamine in the suprachiasmatic nucleus of the Syrian hamster (783) 1
Segieth, J., see Pallotta, M. (783) 173
Semba, K., see Scott, G. (783) 1
Seto, K., see Okutani, F. (783) 272
Shen, M. and Thayer, S.A.
The cannabinoid agonist Win55,212-2 inhibits calcium channels by receptor-mediated and direct pathways in cultured rat hippocampal neurons (783) 77
Shuba, Y., see Dzhura, I. (783) 280
Shults, C.W., see Beal, M.F. (783) 109
Siegel, A., see Cheu, J.W. (783) 293
Sinkjaer, T., see Voigt, M. (783) 332
Soininen, H., see Sorvari, H. (783) 355
Sorvari, H., Miettinen, R., Soininen, H., Paljärvi, L., Karkola, K. and Pitkänen, A.
Calretinin-immunoreactive terminals make synapses on calbindin D28k-immunoreactive neurons in the lateral nucleus of the human amygdala (783) 355
Stein, E.A., see Gerrits, R.J. (783) 151
Stodgell, C.J., Loupe, P.S., Schroeder, S.R. and Tessel, R.E.
Cross-sensitization between footshock stress and apomorphine on self-injurious behavior and neostriatal catecholamines in a rat model of Lesch–Nyhan syndrome (783) 10
Sugimoto, T., He, Y.-F., Xiao, C. and Ichikawa, H.
c-*fos* induction in the subnucleus oralis following trigeminal nerve stimulation (783) 158
Sundgren-Andersson, A.K. and Johansson, S.
Calcium spikes and calcium currents in neurons from the medial preoptic nucleus of rat (783) 194

Takahashi, S., see Okutani, F. (783) 272
Takashima, S., see Obonai, T. (783) 167
Takeo, S., see Hayashi, H. (783) 241
Takeshima, H., see Mamiya, T. (783) 236
Tessel, R.E., see Stodgell, C.J. (783) 10
Thayer, S.A., see Shen, M. (783) 77
Tieleman, A., see Beal, M.F. (783) 109
Todo, T., Kondo, T., Nakamura, S., Kirino, T., Kurokawa, T. and Ikeda, K.
Neuronal localization of fibroblast growth factor-9 immunoreactivity in human and rat brain (783) 179
Tolliver, B.K., see Reid, M.S. (783) 133
Tsuji, M., see Holtzman, D. (783) 19

Voigt, M. and Sinkjaer, T.
The H-reflex in the passive human soleus muscle is modulated faster than predicted from post-activation depression (783) 332
Von Saldern, C., see Allingham, K. (783) 210

Waller, H.J., see Chen, K. (783) 219
Watkins, L.R., see Maswood, S. (783) 115
Whitton, P.S., see Pallotta, M. (783) 173
Wolkowitz, O.M., see Reid, M.S. (783) 133

Xiang, J., Fowkes, R.L. and Keep, R.F.
Choroid plexus histidine transport (783) 37
Xiao, C., see Sugimoto, T. (783) 158

Yamada, N., see Morimoto, K. (783) 57
Yamamoto, C., Sawada, S. and Ohno-Shosaku, T.
Distribution and properties of kainate receptors distinct in the CA3 region of the hippocampus of the guinea pig (783) 227
Yan, X.-X. and Ribak, C.E.
Increased expression of GABA transporters, GAT-1 and GAT-3, in the deafferented superior colliculus of the rat (783) 63
Yin, J., Kaplitt, M.G., Kwong, A.D. and Pfaff, D.W.
In situ PCR for in vivo detection of foreign genes transferred into rat brain (783) 347

Zhuravleva, S., see Dzhura, I. (783) 280
Zimmer, J., see Noraberg, J. (783) 305